

TECHSELECT® MULTI-PURPOSE AUTOMATIC TRANSMISSION FLUID

DESCRIPTION:

TechSelect® Multi-Purpose Automatic Transmission Fluid (ATF) is a multi-functional transmission fluid for passenger cars, trucks, construction and mining equipment, farm machinery and other mobile and industrial systems. TechSelect® Multi-Purpose Automatic Transmission Fluid (ATF) is blended with highly refined base oils and offers many performance benefits, including superior cold temperature performance characteristics, wide range of seal compatibility, excellent wear protection, superior frictional characteristics with excellent friction retention and smooth shifting. It also has excellent corrosion and rust preventive properties, as well as rigid anti-foam characteristics. It will not cause excessive seal swell or shrinkage, nor will seals excessively harden or soften.

PERFORMANCE BENEFITS:

This product is recommended for use in automatic transmissions manufactured by General Motors and Ford for model years 2006 and prior (except those requiring Ford Type F, Mercon V and SP, Dexron VI and CVT fluids). This product is suitable for use in powershift transmissions, torque converters, hydrostatic transmissions and applications such as in air compressors, hydraulic pumps, power steering boxes and other types of service where an ATF is recommended.

Suitable for use in applicable pre-2006 GM and pre-2007 Ford automatic transmissions. Not recommended for transmissions requiring Ford Type F ATF, Mercon V and SP, Dexron VI and CVT fluids.

TYPICAL PROPERTIES*:

Viscosity @ 40°C, cSt	D445	30.99
Viscosity @ 100°C, cSt	D445	7.14
Viscosity Index	D2270	205
Flash Point, COC, °C	D92	208
Flash Point, COC, °F	D92	406
Pour Point, °C	D97	-48
Pour Point, °F	D97	-54
Color	D1500	Red
Gravity, °API	D4052	32.9



* Due to continual product research and development, the information contained herein is based on products purchased in the U.S. and subject to change without notification. Typical properties may vary slightly.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Safety Data Sheets are available for all of our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AIOD or its affiliates for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult your local AIOD Distributor if you require any further information.



Updated: 04/2016

TSUNMPATF